F ENT COOPERATION TREA

	From the INTERNATIONAL BUREAU
PCT	То:
NOTIFICATION OF ELECTION (PCT Rule 61.2)	Assistant Commissioner for Patents United States Patent and Trademark Office Box PCT Washington, D.C.20231 ÉTATS-UNIS D'AMÉRIQUE
Date of mailing (day/month/year) 08 September 1999 (08.09.99)	in its capacity as elected Office
International application No. PCT/IB98/00999	Applicant's or agent's file reference 40699 PCT/RR
International filing date (day/month/year) 29 June 1998 (29.06.98)	Priority date (day/month/year) 30 June 1997 (30.06.97)
Applicant CHORLEY, Brian et al	
CHONLET, Brian et al	
1. The designated Office is hereby notified of its election made. X in the demand filed with the International Preliminary 29 January 19	y Examining Authority on: 199 (29.01.99)
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer Peggy Steunenberg

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35

P TENT COOPERATION TREAT

	From the	INTERNAT	IONAL BUF	REAU
PCT	To:			
NOTIFICATION OF THE RECORDING OF A CHANGE (PCT Rule 92bis.1 and Administrative Instructions, Section 422)	PLEVY, Arthur, L. Buchanan Ingersoll P.C. 100 College Road East Princeton, NJ 08540 ETATS-UNIS D'AMÉRIQUE			
Date of mailing (day/month/year) 07 October 1999 (07.10.99)				
Applicant's or agent's file reference 40699 PCT/RR			ANT NOTIF	
International application No. PCT/IB98/00999	1	nal filing date (d une 1998 (29		ir)
The following indications appeared on record concerning: The applicant the inventor	the agen		J	n representative
Name and Address THE WHITAKER CORPORATION Suite 450 4550 New Linden Hill Road		State of Natio		State of Residence US
Wilmington, DE 19808 United States of America		Facsimile No		
		Teleprinter N		
The International Bureau hereby notifies the applicant that the person X the name X the ad		change has be	een recorded on ality	the residence
Name and Address MEASUREMENT SPECIALTIES, INC.		State of Nati		State of Residence US
80 Little Falls Road Fairfield, NJ 07004 United States of America		Telephone N		
		Facsimile No		
		Teleprinter		
3. Further observations, if necessary:				
4. A copy of this notification has been sent to:				
X the receiving Office the International Searching Authority			gnated Offices ted Offices cor	
X the International Preliminary Examining Authority		other:		
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorize		S. Baharlou	
Facsimile No : (41-22) 740, 14-35	Telephor	ne No.: (41-22)	338.83.38	

P/ ENT COOPERATION TREAT


	From the INTERNATIONAL BUREAU
PCT	То:
NOTIFICATION OF ELECTION (PCT Rule 61.2)	United States Patent and Trademark Office (Box PCT) Crystal Plaza 2 Washington, DC 20231 ÉTATS-UNIS D'AMÉRIQUE
Date of mailing (day/month/year) 07 May 1999 (07.05.99)	in its capacity as elected Office
International application No. PCT/IB98/00999	Applicant's or agent's file reference 40699 PCT/RR
International filing date (day/month/year) 29 June 1998 (29.06.98)	Priority date (day/month/year) 30 June 1997 (30.06.97)
Applicant CHORLEY, Brian et al	
1. The designated Office is hereby notified of its election made in the demand filed with the International Preliminary 03 February 1: in a notice effecting later election filed with the International Preliminary 1: 2. The election was was was not made before the expiration of 19 months from the priority Rule 32.2(b).	y Examining Authority on: 999 (03.02.99)
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer S. Baharlou


Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35

P TENT COOPERATION TREAT

	From the	INTERN	IATIONAL BUF	REAU	
PCT	To:				
NOTIFICATION OF THE RECORDING OF A CHANGE (PCT Rule 92bis.1 and Prince			LEVY, Arthur, L. uchanan Ingersoll P.C. 00 College Road East rinceton, NJ 08540 TATS-UNIS D'AMÉRIQUE		
Date of mailing (day/month/year) 07 October 1999 (07.10.99)					
Applicant's or agent's file reference 40699 PCT/RR			RTANT NOTIF		
International application No. PCT/IB98/00999	4		te (day/month/yea (29.06.98)	or)	
The following indications appeared on record concerning: the applicant the inventor	X the agent	t	the commo	n representative	
Name and Address		State of	Vationality	State of Residence	
PLEVY, Arthur, L. Greenbaum, Rowe, Smith, Ravin, Davis & Himmel, LLP Metro Corporate Campus I		Telephor			
P.O. Box 5600 Woodbridge, NJ 07095 United States of America		Facsimile Teleprin			
2. The International Bureau hereby notifies the applicant that the person the name X the ac	the following	change ha	as been recorded ationality	concerning: the residence	
Name and Address		State of	Nationality	State of Residence	
PLEVY, Arthur, L. Buchanan Ingersoll P.C. 500 College Road East		Telepho	one No.		
Princeton, NJ 08540 United States of America		Facsimi	le No.		
		Telepri	nter No.		
3. Further observations, if necessary:		<u> </u>			
4. A copy of this notification has been sent to:					
X the receiving Office			designated Office		
the International Searching Authority X the International Preliminary Examining Authority		X the oth	elected Offices co er:	ncerned	
	Authorize	ed officer			
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland			S. Baharlou	ı	
Facsimile No.: (41-22) 740.14.35	Telephor	ne No.: (41	-22) 338.83.38	002887236	





A. CLASSII	FICATION OF SUBJECT MATTER G06K7/08 G06K19/10 G07D7/00)		
i				
	International Patent Classification (IPC) or to both national classi	fication and IPC		
	SEARCHED ocumentation searched (classification system followed by classification)	ion symbols)		
IPC 6	G06K G07D			
Documentati	ion searched other than minimum documentation to the extent that	such documents are included in the fields se	arched	
Electronic d	ata base consulted during the international search (name of data ba	se and, where practical, search terms used)		
	•			
C. DOCUM	IENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of the r	elevant passages	Relevant to claim No.	
X	EP 0 166 273 A (GAO GES AUTOMATIC January 1986 see page 3, line 3 - page 4, line see page 9, line 4 - page 11, line figures 1-4	e 23	1-4,8, 10,14-16	
A	US 4 792 667 A (CHEN DANIEL Y-J) 20 December 1988 cited in the application see the whole document			
Α	WO 94 20932 A (AUTHENTICATION TE IN) 15 September 1994 see claim 1; figures 1-7	CHNOLOGIES	1,10,14	
Fur	ther documents are listed in the continuation of box C.	X Patent family members are listed	in annex.	
*Special categories of cited documents: A' document defining the general state of the art which is not considered to be of particular relevance E' earlier document but published on or after the international filing date L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) O' document referring to an oral disclosure, use, exhibition or other means P' document published prior to the international filing date but later than the priority date claimed Date of the actual completion of the international search Taletr document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention 'X' document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. C' document member of the same patent family Date of mailing of the international search report				
<u> </u>	22 November 1996			
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+ 31-70) 340-2040, Tx. 31 651 epo ni, Fax (+ 31-70) 340-3016	Gysen, L		

1

ormation on patent family members


F. I/IB 96/00782

Patent document cited in search report	Publication date		family ber(s)	Publication date
EP-A-0166273	02-01-86	DE-A- DE-A- JP-B- JP-A- JP-A- US-A-	3421041 3584914 6073998 61059589 6236474 4763927	12-12-85 30-01-92 21-09-94 27-03-86 23-08-94 16-08-88
US-A-4792667	20-12-88	NONE		
WO-A-9420932	15-09-94	US-A- AU-A-	5394969 4790993	07-03-95 26-09-94



(PCT Article 18 and Rules 43 and 44)


Applicant's or agent's file reference	FOR FURTHER see Notification of Transmittal of International Search Report			
40699 PCT/RR	ACTION (Form PCT/ISA/220) as well as, where applicable, item 5 below			
International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)		
PCT/IB 98/00999	29/06/1998	30/06/1997		
Applicant				
THE WHITAKER CORPORATION	et al.			
This International Search Report has been according to Article 18. A copy is being tra	n prepared by this International Searching Auth	nority and is transmitted to the applicant		
	· · · · · · · · · · · · · · · · · · ·			
This International Search Report consists	of a total of sheets.			
X It is also accompanied by a copy	y of each priorart document cited in this report.			
Certain claims were found uns	searchable (see Box I).			
2. Unity of invention is lacking(s	ee Box II).			
• 🗆				
3 The international application con international search was carried	ntains disclosure of a nucleotide and/or amino out on the basis of the sequence listing	acid sequence listing and the		
	with the international application.			
furn <u>i</u>	shed by the applicant separately from the inter	national application,		
Ĺ	but not accompanied by a statement to the matter going beyond the disclosure in the i	e effect that it did not include international application as filed		
_				
Tran	scribed by this Authority			
4. With regard to the title, X the to	ext is approved as submitted by the applicant	-		
the to	ext has been established by this Authority to rea	ad as follows:		
5. With regard to the abstract,				
	ext is approved as submitted by the applicant			
the te	ext has been established, according to Rule 38.	.2(b), by this Authority as it appears in		
Box I Searc	III. The applicant may, within one month from the ch Report, submit comments to this Authority.	e date of mailing of this International		
6. The figure of the drawings to be publis	shed with the abstract is:			
5 A	uggested by the applicant.	None of the figures.		
	use the applicant failed to suggest a figure.	_		
beca	use this figure better characterizes the invention	n.		



International Application No

IB 98/00999


			1R A8	/00999		
IPC 6	B42D15/00					
According	to International Patent Classification(IPC) or to both national class	sification and IPC				
	SEARCHED					
170 6	locumentation searched (classification system followed by classific B42D					
	ation searched other than minimum documentation to the extent the					
Listinii	data base consulted during the international search (name of data	base and, where practical, searc	ch terms used)			
	ENTS CONSIDERED TO BE RELEVANT					
Category °	Citation of document, with indication, where appropriate, of the	relevant passages		Relevant to claim No.		
Α	US 5 566 982 A (LEHUREAU ET AL) 22 October 1996 see the whole document			1		
A	WO 97 07478 A (THE WHITAKER CORI 27 February 1997 see the whole document	PORATION)		1		
Furthe	er documents are listed in the continuation of box C.	X Patent family member	rs are listed in a	annex.		
	egories of cited documents :	"T" later document published a	after the interns	tional filling data		
E" earlier do	nt defining the general state of the art which is not red to be of particular relevance to the published on or after the international	or priority date and not in cited to understand the pr invention "X" document of particular role	rinciple or theoi	y underlying the		
"L" documen which is	illing date L' document which may throw doubts on priority claim(s) or Which is cited to establish the publication date of enoting.					
"O" documen other me	citation or other special reason (as specified) O" document referring to an oral disclosure, use, exhibition or other means P" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled					
later tria	t published prior to the international filing date but n the priority date claimed	in the art. "&" document member of the s	ame patent fan	nily		
	tual completion of theinternational search	Date of mailing of the interr	national search	report		
	September 1998	05/10/1998				
aume and ma	illing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk	Authorized officer				
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Evans, A				




Information on patent family members

International Application No

			mbers	PAIB 98/00999			
Patent document cited in search report		Publication date		atent family nember(s)		Publication ' date	
US 5566982 /	A 2	22-10-1996	FR EP	2707781 / 0634732 /	-	20-01-1995 18-01-1995	
WO 9707478 /	A 2	27-02-1997	 ЕР	0845127	 A	03-06-1998	



PCT





INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

B42D 15/00

A1

(11) International Publication Number: WO 99/01292

(43) International Publication Date: 14 January 1999 (14.01.99)

(21) International Application Number: PCT/IB98/00999

(22) International Filing Date: 29 June 1998 (29.06.98)

(30) Priority Data: 9713850.7 30 June 1997 (30.06.97) GB

(71) Applicants (for all designated States except US): THE WHITAKER CORPORATION [US/US]; Suite 450, 4550 New Linden Hill Road, Wilmington, DE 19808 (US). THE GOVERNOR AND COMPANY OF THE BANK OF ENGLAND [GB/GB]; Threadneedle Street, London EC2R 8AH (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): CHORLEY, Brian [GB/GB]; 17 Westbury Lane, Buckhurst Hill, Essex IG9 5NF (GB). BROWN, Richard, Hunter [GB/DE]; Zum Röhrbrunnen 8, D-63303 Dreieich-Offenthal (DE). YASKOWSKI, Joseph, Francis [US/US]; 1713 Dell Road, P.O. Box 126, Fairview Village, PA 19409-126 (US).


(74) Agents: REUTELER, Raymond, Werner et al.; AMP International Enterprises Ltd., AMPèrestrasse 3, CH-9323 Steinach (CH).

(81) Designated States: AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, EE (Utility model), ES, FI, FI (Utility model), GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published


With international search report.

(54) Title: SECURITY THREAD



(57) Abstract


A security thread (2), for identification of security documents such as banknotes, has a magnetic layer (4) sandwiched between polymeric layers (6, 8), where one of the layers (8) is a piezoelectric layer such as PVDF. The piezoelectric layer (8) may be poled intermittently such the piezoelectric layer is coded. A particularly compact security thread with enhanced multiple coded features is thus



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	•	-		1 0	r r		applications ander the
AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Scnegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	ТJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		Zanouo we
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		
					· .		




SECURITY THREAD

This invention relates to a security thread for protecting documents, banknotes, or identification cards against forgery.

In banknotes, it is common to find security threads in the form of thin strips imbedded in paper, such strips of a magnetic material provided with magnetic coding. The strip may be provided with a metallised layer either side of the magnetic material, the metallisation also used to print fine characters as a further security feature. As mechanical support and protection, the magnetic material and metallisation layers are sandwiched between plastic (polyester) layers.


15 It is also known to provide piezoelectric film in security documents as described in US 4,763,927 or US 4,792,667, the presence of piezoelectric material being detectable by mechanical or pyroelectric testing means. In US 4,792,667, pre-poled films of polymeric material 20 from polyvinylidene fluoride (PVDF) other polymeric piezoelectric materials are fixed to documents for security. Piezoelectric films with poled regions may not provide sufficient security for certain documents such as banknotes.

25 would be desirable to further enhance the security against forgery of security threads. It would also be advantageous to provide additional features in a security thread that enable easy detection or provide a redundant control in the event the primary 30 security feature is defective. It is desirable to provide security means that are well adapted for manufacture in large quantities, which are cost-effective and manufacture whilst enhancing security against forgery, reliability, and ease of detection.



It is an object of this invention to provide an improved security thread with enhanced security against forgery and ease of detection.

Objects of this invention have been achieved by providing the security thread according to claim Disclosed herein is a security thread comprising a magnetic layer sandwiched between protective wherein at least one of the protective layers is polymer. Advantageously therefore, piezoelectric particularly compact and cost-effective security thread is provided with enhanced security features. The magnetic material may be coded as is typical for conventional security threads, wherein the piezoelectric polymer layer may also have a series of juxtaposed poled and unpoled regions. The poled and unpoled regions may form a binary 15 code such that both the magnetic and the piezoelectric layers have coding means; the magnetic layer being readable by a magnetic head, and the piezoelectric layer readable by a conductor or capacitive receptor after 20 stimulation of the piezoelectric poled regions by mechanical (e.g. ultrasound) or pyroelectric infrared rays) transmitters. On either side of magnetic layer, there may be provided a metallisation the metallisation layers one of thus 25 sandwiched between the magnetic laver and the piezoelectric layer and forming an electrode for piezoelectric poled regions, in particular forming the ground electrode. The metal layer is reflective to light thereby concealing the magnetic layer, and forms a base for printing characters that can be read when light is 30 passed through the metallisation layer. Compound security measures can thus be provided in a particularly compact security thread, requiring various detection means that enhances security against forgery.



Further advantageous aspects of the invention are set forth in the claims, or will be apparent from the following description and drawings.

Embodiments of this invention will now be described 5 by way of example, with reference to the figures in which;


Figure 1 is a cross-sectional view through a security thread according to this invention, the thread shown partially laminated;

Figure 2 is a view similar to Figure 1 different embodiment according to this invention.

Figure 3 is a simple schematic view representing dipoles in a portion of piezoelectric layer taken in cross-section; and

Figure 4 is a simple schematic view illustrating how a piezoelectric layer is polarised.

Referring to Figure 1, a security thread 2 is shown in longitudinal cross-section. The security thread may be substantially similar shape and dimension conventional security thread embedded in banknotes or 20 security documents, for example in the form of a thin elongate thread traversing a banknote. The security thread 2 comprises a magnetic layer 4 sandwiched between polymeric layers 6, 8 either side of the magnetic layer 25 The polymeric layers 6, 8 may be of different materials, for example a first layer 6 being of simple polyester or other flexible plastic material, and the second layer 8 being of a piezoelectric material such as polyvinyldene fluoride (PVDF) or other piezo electric polymeric material. It is also possible to provide the 30 second layer 8 as a simple flexible plastic layer such as polyester, coded or printed on one side thereof with a piezoelectric material such as polymer(VDF/TrVE) vinylidene/tetrafluoritheylene co-polymer (VDF/TFE).




10

15

The flexible polymeric layers 6, 8 are also protective layers that support and protect the magnetic layer 4 therebetween from mechanical damage. The magnetic layer 4 may be coded magnetically along its 5 (direction L) that each security thread has a such distinctive magnetic code readable by a detection device having a magnetic head. The magnetic layer 4 is shown in Figures 1 and 2 as a layer separately laminated between the polymeric layers 6, 8, but the magnetic layer may also be printed or deposited otherwise on one of the polymeric support layers 6, 8, for example the simple polymeric (polyester) layer 6. The polymeric layer 6 with the deposited magnetic layer 4 would then bonded to the other polymeric layer 8 by means of a conventional adhesive.

A metallisation layer 10 is provided between magnetic layer 4 and the piezoelectric layer The metallisation layer 10 may be deposited piezoelectric layer 8 by sputtering or other conventional 20 metal deposition methods for deposing metals substrates or the like. The metallisation may also be etched in certain places to form characters that are readable when light is shone through the security thread. The electrode 10 further acts as a ground electrode for contacting an inner side 11 of the piezoelectric layer 8 25 to ground, the opposing other side 12 piezoelectric layer 8 being readable by a detection device, example for a conductive member thereagainst. When subject to mechanical deformation, piezoelectric material produces electrical charges, 30 electrical potential thus being developed between the inner and outer layers 11, 12. The electrical charge that develops can either be read by an electrical detector connected to the ground electrode 10 and the charge




electrode layer 12, or by capacitive detection means that to electrical field created the by the electrical charges. Piezoelectric materials such as PVDF also have a pyroelectric effect, whereby when subject to 5 heat (for example from a light source emitting infrared) the heating of the piezoelectric creates an electric potential between the opposed layers 11, 12. Detection of the pyroelectric effect may for example be effected by detection device described in International 10 Application WO 97/07478.

As shown in Figure 1, the polymeric layer 6 may also be provided with a metallisation layer 14 on its inner side 15. This metallisation layer may similarly be provided with characters.

15 In the embodiment of Figure 1, the piezoelectric layer 8 is substantially uniformly charged (poled) piezoelectrically along the whole length thereof. illustrated in Figure 2, in a second embodiment the piezoelectric layer 8 is provided with a series of poled regions 16 and unpoled regions 18. The poled and unpoled 20 regions may have lengths that are multiples of a smallest bit length, as depicted in Figure 2 by the poled region 19, such that the piezoelectric layer 8 has a binary code extending along its length L. By mechanical excitation such as ultrasound, a conductive or capacitive detector 25 can pick up the electrically charged areas along the length, thereby reading the binary code.

It is also possible to charge piezoelectric material such as PVDF, either negatively or positively such that certain of the poled regions are positive and certain of the poled regions are negative. In this way, it is also possible to provide a tertiary code rather than a binary code. The latter is illustrated in Figure 4 which schematically illustrates the dipole orientation in a



25


30

portion of polymeric piezoelectric layer. The horizontal dipoles 20 indicate a non-piezoelectric area and the vertical dipoles 21, 22 represent respectively negative and positively poled areas.


The coded piezoelectric layer 8 of the embodiment of 5 Figure 2 can be made by positioning a ground electrode 24 against one side of the layer 8 (for example the metallised ground layer 10) and positioning charge electrodes 26 on the charge side 12 of the layer 8. The charge electrodes 26 may be provided with a high positive 10 or negative voltage depending on whether positive poled regions or negative poled regions are desired. The charge electrodes 26 may be held together in a single structure, with a dieletric (such as a ceramic or air) separating the poling regions. The electrodes may be provided on a 15 rotating drum, the grounded electrode forming a opposed rotating drum with the piezoelectric layer sandwiched therebetween such that a continuous lamination of the piezoelectric layer 8 with piezoelectric poling can be 20 effected.

As illustrated in Figure 2, the first polymeric layer 6 may also be a piezoelectric layer, for example charged with a binary code that may either differ from the binary code of the layer 8 as indicated by the piezoelectric charged regions 16' and immediate non-charged regions 18'. It is also possible to provide the first layer 6 with the same binary code as the second layer 8 to enhance the reliability in the event one of the layers is defective. The second metallisation layer 14 could also act as the ground electrode for the piezoelectric layer 6 in a similar manner to the ground electrode for the piezoelectric layer 6 in a similar manner to the ground electrode for the piezoelectric layer 8.

A particularly compact security thread with enhanced security is thus provided. The means of detecting the



security thread based on different physical effects such as the magnetic field of the magnetic layer 4 and the electrical field or potential differences of the piezoelectric layer or layers 6, 8, significantly 5 increases difficulty of forgery.





CLAIMS


- 1. A security thread comprising a magnetic layer sandwiched between protective layers, wherein at least one of the protective layers comprises a piezoelectric polymer.
- The security thread of claim 1 wherein the piezoelectric polymer layer has poled and unpoled regions
 forming a binary or tertiary code.
 - 3. The security thread of claim 1 or 2 wherein a pair of the protective layers, one either side of the magnetic layer, is a piezoelectric polymer.

15

- 4. The security thread of claim 3 wherein each of the piezoelectric layers has poled and unpoled regions.
- 5. The security thread of any one of the preceding 20 claims wherein the thread further comprises a metallisation layer between the piezoelectric polymer layer and the magnetic layer.
- 6. The security thread of claim 5 wherein the 25 metallisation layer acts as a ground electrode for the piezoelectric layer.







In tional Application No Pul/IB 96/00782

			PC1/1B 90/00/82			
A. CLASS IPC 6	SIFICATION OF SUBJECT MATTER G06K7/08 G06K19/10 G07D2	7/00				
According	to International Patent Classification (IPC) or to both national	classification and IPC				
	S SEARCHED					
IPC 6	documentation searched (classification system followed by class $G06K - G07D$	sification symbols)				
Documenta	ation searched other than minimum documentation to the extent	that such documents are include	led in the fields searched			
Electronic o	data base consulted during the international search (name of da	ta base and, where practical, see	arch terms used)			
C. DOCUM	MENTS CONSIDERED TO BE RELEVANT					
Category *	Citation of document, with indication, where appropriate, of	the relevant passages	Relevant to claim No.			
X	EP 0 166 273 A (GAO GES AUTOMA January 1986 see page 3, line 3 - page 4, l see page 9, line 4 - page 11, figures 1-4	ine 23	1-4,8, 10,14-16			
A	US 4 792 667 A (CHEN DANIEL Y-J) 20 December 1988 cited in the application see the whole document					
A	WO 94 20932 A (AUTHENTICATION IN) 15 September 1994 see claim 1; figures 1-7	TECHNOLOGIES	1,10,14			
	ner documents are listed in the continuation of box C.	X Patent family men	nbers are listed in annex.			
'A' document defining the general state of the art which is not considered to be of particular relevance. 'E' earlier document but published on or after the international filing date. 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) 'T' later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention 'X' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) 'Y' document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the						
other means P' document published prior to the international filing date but later than the priority date claimed document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *A' document member of the same patent family						
	actual completion of the international search 2 November 1996	_	international search report			
	nailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl.	Authorized officer				
Far (+ 31-70) 340-2040, Tx. 31 651 epo nl, Gysen, L						


1

		٠,

Information on patent family members

Int ional Application No F. I/IB 96/00782

				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Patent document cited in search report	Publication date	Patent i		Publication date	
EP-A-0166273	02-01-86	DE-A- DE-A- JP-B- JP-A- JP-A- US-A-	3421041 3584914 6073998 61059589 6236474 4763927	12-12-85 30-01-92 21-09-94 27-03-86 23-08-94 16-08-88	
US-A-4792667	20-12-88	NONE			
WO-A-9420932	15-09-94	US-A- AU-A-	5394969 4790993	07-03-95 26-09-94	



A.D



REC'D 1 6 DEC 1999


WIPO

PCT


INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or	agent's file	reference	FURTHER ACTION	See Notific	ation of Transmittal of International Examination Report (Form PCT/IPEA/416)		
MSI		FOR	FUNTHER ACTION	Preliminary			
International	application	No. Interna	ational filing date (day/mon	h/year)	Priority date (day/month/year)		
PCT/IB98/	00999	29/06	5/1998		30/06/1997		
International B42D15/00		sification (IPC) or national cla	assification and IPC				
Applicant	TAKENIT C	PECIALTIES INC., et a	.1				
1. This int	ternationa transmitte	preliminary examination d to the applicant according	report has been prepare ng to Article 36.	ed by this Inte	ernational Preliminary Examining Authority		
2. This Ri	EPORT co	onsists of a total of 4 shee	ets, including this cover	sheet.			
 This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of sheets. 							
2 This re	nort cont	ains indications relating to	the following items:				
3. This re	sport corre	and maleations relating to					
I	🛭 Bas	is of the report					
11	☐ Prio				and industrial applicability		
111			with regard to novelty,	nventive ste	p and industrial applicability		
IV	∐ Lac	k of unity of invention	At the OF/O) with research	n novoku in	ventive eten or industrial applicability.		
V	cita	tions and explanations su	nticle 35(2) with regard to porting such statement	o novelly, in	ventive step or industrial applicability;		
VI VI		tain documents cited					
VII 🛛 Certain defects in the international application							
VIII	☐ Cer	tain observations on the i	nternational application				
Date of sub	mission of	he demand	Date	of completion			
29/01/19	99			9 4. 12.	99		
Name and	mailing add	ress of the international	Auth	orized officer	ASTASONES MACHINE		
preliminary	examining	authority: Patent Office					
9))	D-80298	Munich		ka, M			
<u> </u>		89 2399 - 0 Tx: 523656 epmi 89 2399 - 4465		- b No 40	89 2399 2388		








I. Basis of the report

1. This report has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments.):

	the re	eport since they de	o not contain amendments.):
	Desc	ription, pages:	
	1-7		as originally filed
	Clair	ns, No.:	
	1-6		as originally filed
	Drav	vings, sheets:	
	1/1		as originally filed
2.	The	amendments hav	re resulted in the cancellation of:
		the description,	pages:
		the claims,	Nos.:
		the drawings,	sheets:
3		This report has be considered to go	peen established as if (some of) the amendments had not been made, since they have been beyond the disclosure as filed (Rule 70.2(c)):
4	. Ad	ditional observatio	ons, if necessary:







V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes:

Claims 1-6

No:

Claims

Inventive step (IS)

Yes: Claims 1-6 No: Claims

Industrial applicability (IA)

Yes:

Claims 1-6

No:

Claims

2. Citations and explanations

see separate sheet

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted:

see separate sheet

V



Section V

Claim 1

According to page 1, lines 6-14, a security thread comprising a magnetic layer sandwiched between two protective plastic layers is known from the prior art. The subject-matter of claim 1 differs from the known security thread in that at least one of the protective layers comprises a piezoelectric polymer.

This distinguishing feature solves to problem of enhanced security against forgery and ease of detection.

The at least one piezoelectric polymeric layer permits the detection of the electric field or potential differences formed therein and hence increases the difficulty of forgery, when only the magnetic field of the magnetic layer is detected.

None of the available prior art documents discloses or suggests the addition of a piezoelectric polymer to the plastic protective layers known from the prior art. The subject-matter of claim 1 is therefore fulfilling the requirements of Art. 33 (2), (3) PCT.


Claims 2-6

The additional features of these claims are only preferred embodiments of the invention specified in claim 1 and as such, they also fulfill the requirements of Art. 33 (2), (3) PCT.

Section VII

The features of the claims have not been provided with reference signs placed in parentheses (Rule 6.2(b) PCT).

Independent claim 1 has not been drafted in the two-part form in accordance with Rule 6.3(b) PCT, which in the present case would have been appropriate, with those features known in combination from the prior art (see page 1, lines 6-14) being placed in the preamble (Rule 6.3(b)(i) PCT) and with the remaining features being included in the characterising part (Rule 6.3(b)(ii) PCT).



Int tional Application No PCB 98/00999

		Pro B	98/00999				
A. CLASSI IPC 6	B42D15/00						
	According to International Patent Classification (IPC) or to both national classification and IPC						
	SEARCHED						
Minimum do IPC 6	Minimum documentation searched (classification system followed by classification symbols)						
	Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched						
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)							
	ENTS CONSIDERED TO BE RELEVANT	· · · · · · · · · · · · · · · · · · ·					
Category ⁻	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.				
A	US 5 566 982 A (LEHUREAU ET AL) 22 October 1996 see the whole document	1					
А	WO 97 07478 A (THE WHITAKER CORPORATION) 27 February 1997 see the whole document						
Furth	ner documents are listed in the continuation of box C.						
ليا		X Patent family members are list	ted in annex.				
"A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "C" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is taken alone with one or more other such document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "B" document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is cannot be considered to involve an inventive step when the document is cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.							
Date of the a	actual completion of theinternational search	Date of mailing of the international					
24	4 September 1998	05/10/1998	·				
Name and m	nailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Evans, A					

,	•,		

nformer n patent family members

In. Itional Application No PC 98/00999

					30/00999
Patent document cited in search repor		Publication date			Publication date
US 5566982	A	22-10-1996	FR EP	2707781 A 0634732 A	20-01-1995 18-01-1995
WO 9707478	A 	27-02-1997	EP	0845127 A	03-06-1998
	US 5566982	US 5566982 A	US 5566982 A 22-10-1996	US 5566982 A 22-10-1996 FR EP	US 5566982 A 22-10-1996 FR 2707781 A EP 0634732 A

n,

